

PYCT-1000 型牵引式除土装车机

Sugar Beet Cleaner Loaders



PENGLAI
AUTOMATION FACTORY

蓬莱市自控设备成套厂

PENGLAI AUTOMATION FACTORY

地址: 山东省蓬莱市海市路 Add: Haishi Road, Penglai, Shandong, China

电话(Tel): +(86) 535-5641224 5631224 传真(Fax): +(86) 535-5601224 邮编(P.C.): 265600

Http://www.penglaisugar.com E-mail: plwzq@163.com

PYCT-1000 型牵引式除土装车机

Sugar Beet Cleaner Loaders

结构特点 Features

- ☆ 甜菜斗开口大，装菜提升高度高，可满足高车箱要求
Larger beet hopper open, higher loading height to meet high truck loading
- ☆ 输送带采用钢棍带，承载能力大，除土效果好，对甜菜损伤小
Rod type conveyor and elevator, large load ability, good performance and minimum beet damage
- ☆ 机动性、稳定性好，牵引运输时可折叠（避免超高），无需拆装
Excellent maneuverability and stability, fold elevator design for ease moving on road.
- ☆ 减速电机驱动，操作方便，运行平稳，维护量小
Motor reducer drive, ease of operation and low maintenance
- ☆ 工作温度范围宽，零下30度仍可正常工作
Wide range of ambient temperature, normal operating at -30°C
- ☆ 地隙高，容易清理由本机除下来的土
Higher ground clearance design for ease of soil removal

性能参数 Technical Data

- ☆ 能力 Capacity: 80-150t/h
- ☆ 甜菜斗开口尺寸 Beet hopper open size:
3500 × 2300mm
- ☆ 输送带驱动方式 Drive type:
减速电机 Reducer
- ☆ 电机总功率 Power of motors: 10.2kW
- ☆ 折叠后高度 Height after folding: 3980mm
- ☆ 装车高度 Loading height: 4350mm
- ☆ 外形尺寸 Dimension:
8000 × 5000 × 2700mm



蓬莱市自控设备成套厂
PENGLAI AUTOMATION FACTORY

地址: 山东省蓬莱市海市路 Add: Haishi Road, Penglai, Shandong, China
电话(Tel): +(86) 535-5641224 5631224 传真(Fax): +(86) 535-5601224
Http://www.penglaisugar.com E-mail: plwzq@163.com 邮编(P.C.): 265600

PYCT-1000 型牵引式除土装车机

Sugar Beet Cleaner Loaders

结构特点 Features

- ☆ 甜菜斗开口大，装菜提升高度高，可满足高车箱要求
Larger beet hopper open, higher loading height to meet high truck loading
- ☆ 输送带采用钢棍带，承载能力大，除土效果好，对甜菜损伤小
Rod type conveyor and elevator, large load ability, good performance and minimum beet damage
- ☆ 机动性、稳定性好，牵引运输时可折叠（避免超高），无需拆装
Excellent maneuverability and stability, fold elevator design for ease moving on road.
- ☆ 减速电机驱动，操作方便，运行平稳，维护量小
Motor reducer drive, ease of operation and low maintenance
- ☆ 工作温度范围宽，零下30度仍可正常工作
Wide range of ambient temperature, normal operating at -30°C
- ☆ 地隙高，容易清理由本机除下来的土
Higher ground clearance design for ease of soil removal

性能参数 Technical Data

- ☆ 能力 Capacity: 80-150t/h
- ☆ 甜菜斗开口尺寸 Beet hopper open size:
3500 × 2300mm
- ☆ 输送带驱动方式 Drive type:
减速电机 Reducer
- ☆ 电机总功率 Power of motors: 10.2kW
- ☆ 折叠后高度 Height after folding: 3980mm
- ☆ 装车高度 Loading height: 4350mm
- ☆ 外形尺寸 Dimension:
8000 × 5000 × 2700mm



蓬莱市自控设备成套厂
PENGLAI AUTOMATION FACTORY

地址: 山东省蓬莱市海市路 Add: Haishi Road, Penglai, Shandong, China
电话(Tel): +(86) 535-5641224 5631224 传真(Fax): +(86) 535-5601224
Http://www.penglaisugar.com E-mail: plwzq@163.com 邮编(P.C.): 265600